
awning
fabrics






Fabric repeat

Multiply repeated pattern of fabric, expressed in cm and given in the chart.

Above pictograms apply to acrylic fabrics.



ACRYLIC FABRICS

Technical data shown below are average values of the current production Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion Les données techniques ci-dessous sont des valeurs moyennes de la production courante		SOLID
Fabric Gewebe Tissu		Acrylic 100% solution dyed Acryl 100% spinndüsengefärbt Acrylique 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 300 g/m²
Width Warenbreite Laize		120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 330 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft / Warp Weiterreißkraft (daN) Schuss / Kette Résistance à la déchirure (daN) Trame / Chaîne	EN ISO 13973-2	2.3 / 4

Acrylic fabrics guarantee the highest quality of the product, providing thermal comfort and protection against UV radiation. Made 100% out of acrylic fibre, dyed in chemical solution, provide excellent protection against colour loss. UV resistance coefficient is 7-8 at 8° scale. Impregnation with use of TEFLON® or SCOTCHGARD™ agents provides an excellent protective barrier and strengthens water-repellent qualities of the fabric, also preventing dirt adhering. Resistance to leaking: 330 mm water column. The advantage of acrylic fabric is also high resistance to tensile and tear. Permeability to air and water repellency Above pictograms apply to acrylic fabrics.



WATERPROOF FABRICS

Technical data shown below are average values of the current production Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion Les données techniques ci-dessous sont des valeurs moyennes de la production courante		WATERPROOF
Fabric Gewebe Tissu		Acrylic 100% solution dyed Acryl 100% spinndüsengefärbt Acrylique 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 330 g/m²
Width Warenbreite Laize		120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 1000 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft / Warp Weiterreißkraft (daN) Schuss / Kette Résistance à la déchirure (daN) Trame / Chaîne	EN ISO 13973-2	3 / 4

Waterproof acrylic fabrics are characterized by increased resistance to leaking - more than 800 mm water column. Weave structure together with modern impregnation technology provides high air permeability even on hot days. Oeko-Tex® guarantees that offered acrylic fabrics, subjected to special impregnation for water resistance, are not toxic.

SOLID


BLANCO

2042 UV: 97% G_{tot}: 18%



NATURAL


2929 UV: 97% G_{tot}: 18%



MARFIL



2143 UV: 97% G_{tot}: 16%



SIROCO



2226 UV: 98% G_{tot}: 12%



VANILLA




2687 UV: 97% G_{tot}: 17%



AMBER BEIGE



0814 UV: 99% G_{tot}: 15.66%



BEIGE



2038 UV: 99% G_{tot}: 11%



INTEGRAL




2838 UV: 99% G_{tot}: 8%



AVENA




2296 UV: 98% G_{tot}: 11%



MINERAL




2831 UV: 99% G_{tot}: 7%



MARBLE



0923 UV: 99% G_{tot}: 12.8%




MULTICO
FLAME

7131 UV: 90% G_{tot}: 17%



NUAGES
FLAME


6319 UV: 90% G_{tot}: 16%



TWEED
ROCK



7151 UV: 98% G_{tot}: 11%



CAFE




2316 UV: 99% G_{tot}: 5%



BERNA



2041 UV: 97% G_{tot}: 16%



TWEED
LATTE




7926 UV: 98% G_{tot}: 15%



VISION




2250 UV: 99% G_{tot}: 7%



CHAUME
PIGUE




U235 UV: 100% G_{tot}: 9%



IRON



0937 UV: 99% G_{tot}: 6.57%



TWEED
BROWN




0403 UV: 99% G_{tot}: 6.82%



LIN
MELANGE



8904 UV: 95% G_{tot}: 11%



SNOWFLAKE




3463 UV: 95% G_{tot}: 22%



TWEED
ARGENT




0794 UV: 98% G_{tot}: 19%



DARK
LINEN




6727 UV: 98% G_{tot}: 18%



SILVER
WHITE




0364 UV: 99% G_{tot}: 7.67%




SILVER



2821 UV: 97% G_{tot}: 13%



SILVER
GREY



U190 UV: 90% G_{tot}: 15%



SILVER
MELANGE




0028 UV: 99% G_{tot}: 7.36%



STITCH
ANDESITE




0512 UV: 98% G_{tot}: 8%



PERLA




2979 UV: 97% G_{tot}: 8%



PIETRA
BEIGE




9415 UV: 98% G_{tot}: 8%



ZINC



5802 UV: 99% G_{tot}: 11%



ASH



0638 UV: 99% G_{tot}: 5.05%



ANTRACITA



8488 UV: 99% G_{tot}: 6%



EBONY
TWEED



7324 UV: 98% G_{tot}: 10%



NEGRO



2170 UV: 99% G_{tot}: 5%



GRAPHITE
ZIP




1524 UV: 98% G_{tot}: 12%



BASALT




8203 UV: 100% G_{tot}: 5%



FLANELLE




U104 UV: 100% G_{tot}: 5%



CHARCOAL
TWEED



0402 UV: 99% G_{tot}: 5%



ZIP
GREY




1597 UV: 98% G_{tot}: 13%



STITCH
CALCITE




0505 UV: 98% G_{tot}: 9%



PLATINUM



0715 UV: 90% G_{tot}: 12%



WHITE
LINEN



8615 UV: 95% G_{tot}: 18%



BREEZE



2777 UV: 99% G_{tot}: 6%



AZUL



2018 UV: 99% G_{tot}: 7%



MARINE



2145 UV: 99% G_{tot}: 5%



PIMENT
PIGUE



U412 UV: 100% G_{tot}: 10%



BRIGHT
RED




2211 UV: 99% G_{tot}: 10%



RIOJA



2210 UV: 99% G_{tot}: 8%



CARMIN
PIGUE



U411 UV: 100% G_{tot}: 10%



SWITCH
ROGUE




U390 UV: 100% G_{tot}: 8%




GRANATE



2101 UV: 99% G_{tot}: 6%



STITCH
RUBY



0507 UV: 98% G_{tot}: 9%



MARSEILLE
FLAME




8854 UV: 100% G_{tot}: 11%



AMARILLO




2013 UV: 99% G_{tot}: 15%



ORANGE



2050 UV: 99% G_{tot}: 13%



TWEED
SENAPE



0034 UV: 99% G_{tot}: 6.3%



CURRY




U105 UV: 100% G_{tot}: 12%



OCRE



2180 UV: 99% G_{tot}: 13%



POTIRON
PIGUE




U413 UV: 100% G_{tot}: 10%



MELEZE
PIGUE



U417 UV: 100% G_{tot}: 8%



JADE



0396 UV: 99% G_{tot}: 8.12%



VERDE
BOTELLA



2245 UV: 99% G_{tot}: 6%



SWITCH
EMPIRE




U393 UV: 100% G_{tot}: 8%

WATERPROOF

BLANCO

8268 UV: 97% G_{tot}: 18%



MARFIL



8272 UV: 97% G_{tot}: 16%



AMARILLO




8265 UV: 99% G_{tot}: 15%



COCO



2047 UV: 99% G_{tot}: 9%



GRIS



8271 UV: 99% G_{tot}: 7%



ANTRACITA



2796 UV: 99% G_{tot}: 6%



TWEED NEGRO



2085 UV: 99% G_{tot}: 6%




NEGRO



8275 UV: 99% G_{tot}: 5%

ORCHESTRA



NAPLES
LINEN



D307 UV: 95% G_{tot}: 13% REPEAT: 20 cm



NAPLES
HEATHER



D305 UV: 90% G_{tot}: 11% REPEAT: 20 cm




NAPLES
STONE



D113 UV: 95% G_{tot}: 7% REPEAT: 20 cm



NAPLES
LIGHT GREY




D304 UV: 90% G_{tot}: 11% REPEAT: 20 cm




PENCIL
BEIGE




D324 UV: 95% G_{tot}: 14% REPEAT: 30 cm



PENCIL
DARK GREY



D319 UV: 100% G_{tot}: 8% REPEAT: 30 cm



PENCIL
GREY



D320 UV: 95% G_{tot}: 14% REPEAT: 30 cm



PENCIL
YELLOW



D323 UV: 95% G_{tot}: 13% REPEAT: 30 cm



WIDE CHINA
GREEN



D299 UV: 95% G_{tot}: 10% REPEAT: 60 cm



WIDE CHINA
BEIGE



D301 UV: 95% G_{tot}: 12% REPEAT: 60 cm



WIDE CHINA
YELLOW



D300 UV: 95% G_{tot}: 13% REPEAT: 60 cm


URBAN



CANDLELIGHT




0990 UV: 99% G_{tot}: 14% REPEAT: 6 cm



LANTERN




0991 UV: 99% G_{tot}: 14.2% REPEAT: 6 cm



TIMBER



0992 UV: 99% G_{tot}: 9.6% REPEAT: 6 cm




CONCRETE



0993 UV: 99% G_{tot}: 10.8% REPEAT: 6 cm

LANDSCAPE MINI



SAND




4620 UV: 99% G_{tot}: 11.4% REPEAT: 2 cm



LAVA




4623 UV: 99% G_{tot}: 8.3% REPEAT: 2 cm



CLAY



4627 UV: 99% G_{tot}: 11.3% REPEAT: 2 cm



GRAVEL



4621 UV: 99% G_{tot}: 8.1% REPEAT: 2 cm

LANDSCAPE



BEACH



4662 UV: 99% G_{tot}: 16.37% REPEAT: 24 cm



ROSOPSIDA



4657 UV: 99% G_{tot}: 14.96% REPEAT: 24 cm



GOBI



4658 UV: 99% G_{tot}: 11.32% REPEAT: 24 cm



SAHARA DUST




4639 UV: 99% G_{tot}: 10.18% REPEAT: 24 cm



NAMIB




4640 UV: 99% G_{tot}: 5.04% REPEAT: 24 cm



FJORD



4644 UV: 99% G_{tot}: 7.8% REPEAT: 24 cm




CLIFFS



4643 UV: 99% G_{tot}: 6.78% REPEAT: 24 cm



LADAKH



4655 UV: 99% G_{tot}: 5.91% REPEAT: 24 cm




VULCANO



4665 UV: 99% G_{tot}: 5% REPEAT: 24 cm

CLASSICAL




CLASSICAL GRIS



2103 UV: 97% G_{tot}: 16% REPEAT: 20 cm



CLASSICAL STONE TWEED



0597 UV: 98% G_{tot}: 12% REPEAT: 20 cm



CLASSICAL MOSSY TWEED




9878 UV: 98% G_{tot}: 15% REPEAT: 20 cm

CLASSICAL AMARILLO




2015 UV: 97% G_{tot}: 15% REPEAT: 20 cm



CLASSICAL BEIGE



2275 UV: 98% G_{tot}: 14% REPEAT: 20 cm



CLASSICAL MARRON BEIGE



2148 UV: 99% G_{tot}: 9% REPEAT: 20 cm


FANTASY



MILANO




3868 UV: 95% G_{tot}: 22% REPEAT: 30 cm




CALGARY



6712 UV: 95% G_{tot}: 16% REPEAT: 30 cm



SUNRISE




0180 UV: 99% G_{tot}: 14.73% REPEAT: 30 cm



PALERMO




3605 UV: 90% G_{tot}: 21% REPEAT: 17 cm



ARGENTINA




2016 UV: 98% G_{tot}: 15% REPEAT: 30 cm




TARANTO



3672 UV: 95% G_{tot}: 21% REPEAT: 24 cm



CANBERRA




0452 UV: 99% G_{tot}: 15.51% REPEAT: 24 cm



LISBONNE NATURE



8224 UV: 95% G_{tot}: 13% REPEAT: 30 cm



DAKAR




2080 UV: 98% G_{tot}: 15% REPEAT: 40 cm



SALERNO



3861 UV: 90% G_{tot}: 20% REPEAT: 30 cm



ALBERTA




5106 UV: 98% G_{tot}: 15% REPEAT: 30 cm



MANCHESTER




2823 UV: 98% G_{tot}: 8% REPEAT: 24 cm



SUNBURY




6106 UV: 98% G_{tot}: 10% REPEAT: 30 cm



HARDELOT NATURE




8935 UV: 95% G_{tot}: 14% REPEAT: 30 cm



SIENNE NATURE




D100 UV: 95% G_{tot}: 14% REPEAT: 30 cm



TEXAS




2238 UV: 98% G_{tot}: 13% REPEAT: 30 cm



PERU



2201 UV: 98% G_{tot}: 14% REPEAT: 30 cm



ANDRIA



3881 UV: 95% G_{tot}: 18% REPEAT: 30 cm



MARTE



2121 UV: 99% G_{tot}: 11% REPEAT: 24 cm



BOLOGNA




3427 UV: 90% G_{tot}: 22% REPEAT: 20 cm



JAMAICA



2701 UV: 98% G_{tot}: 14% REPEAT: 30 cm



BRISBANE



0186 UV: 98.1% G_{tot}: 10.26% REPEAT: 24 cm



EDMONTON




6711 UV: 98% G_{tot}: 13% REPEAT: 30 cm



OSLO FIRE




7351 UV: 95% G_{tot}: 14% REPEAT: 30 cm



WINTONE



0734 UV: 98% G_{tot}: 12.39% REPEAT: 24 cm



FOGGIA




3864 UV: 95% G_{tot}: 18% REPEAT: 30 cm



BROKEN HILL



0497 UV: 95% G_{tot}: 16% REPEAT: 30 cm



NEW YORK



2174 UV: 98% G_{tot}: 14% REPEAT: 30 cm



METROPOLITAN




3608 UV: 99% G_{tot}: 7% REPEAT: 30 cm



GLADSTONE



0493 UV: 99% G_{tot}: 7.78% REPEAT: 24 cm



SIENNE STONE




8931 UV: 95% G_{tot}: 13% REPEAT: 30 cm



ANCONA



3746 UV: 90% G_{tot}: 19% REPEAT: 24 cm



PADOVA



3875 UV: 95% G_{tot}: 17% REPEAT: 30 cm



RAVENNA



3882 UV: 95% G_{tot}: 18% REPEAT: 30 cm



FIRENZE




3889 UV: 90% G_{tot}: 20% REPEAT: 30 cm



MELBOURNE



0054 UV: 99% G_{tot}: 11.74% REPEAT: 24 cm



ORLANDO




2191 UV: 98% G_{tot}: 11% REPEAT: 30 cm



CANADA



2061 UV: 99% G_{tot}: 8% REPEAT: 30 cm



PLUTON



2179 UV: 99% G_{tot}: 10% REPEAT: 24 cm